

Changzhou **welllife** furnace co.,ltd

welllife



Changzhou welllife furnace co.,ltd(CHINA)

Add: Liuxiang Village, Zouqu Town, Changzhou City,
Jiangsu province, China.

Tel: 0086-519-83313572

Fax: 0086-519-83310111 ext 8082

Website: www.globalwelllife.com

Email: ben@wellifegroup.com



welllife



Welcome to Changzhou wellife furnace co.,ltd.

Changzhou Wellife Furnace Co., Ltd was established in 1986, as former of Wuxin Agriculture Machine Cooperation by president Wang Qichang. It is specialized in making gas burners for rice cooker, sprayer and hedge trimmers. We begin with domestic market first and start to export at year of 2000. Till now Wellife has become a professional manufacturer of a series of gas products, which include patio heater, room heater, table top BBQ and Fire Pit. And these products are certified by CSA, ETL, Norm, AGA, SAI Global, CE and SARBS. We have customers from US, Canada, Australia, New Zealand, Europe, South Africa and rest of world.

Our factory is located in Liuxiang Village, Zouqu Town, Wujin District, Changzhou City. It is transportation convenient. It takes 25 minutes from train station to factory by car, and one hour by train from Changzhou to Shanghai.

Factory Facility has more than 35000 square meters area.

We have 7 main buildings for production.

We welcome customers over the world come and visit our factory.



PH08-LED

Model Number	PH08-LED
Material	Stainless Steel
Specification	Value: Low output to high output, with pilot
	Total Height: 2210mm
	Nozzle: 1.95mm
	Ignitor: Battery ignitor
Certificate	Gas Inlet: 1/4, 5/8 depends on countries
	Extra Part: Handle*1&Chain*1 with LED
Net Weight	CE/ETL
Gross Weight	26KGS
Packaging	30KGS
Loading Quantity	54cm*54cm*98cm
	80/20GP
	214/40HQ
	244/45C



With Remote Control



outdoor heating manufacturer

PH08-Series

Model Number	PH08-A-F, PH08-A, PH08-A-19F, PH08-A-19
Material	Steel / Stainless Steel
Specification	Total Height: 2210mm
	Valve: Low output to high output, with pilot
	Nozzle: 1.95mm
	Ignitor: Battery Ignitor
Certificate	Gas Inlet: 1/4, 5/8 depends on countries
	Extra Part: Handle*1&Chain*1
Net Weight	CE, ETL, SAI
Gross Weight	26KGS
Packaging	30KGS
Loading Quantity	134*54*31.5cm
	123/20GP
	250/40GP
	292/40HQ



PH08 Triangle

Model Number	PH08-SST / ST
Material	Stainless Steel / Steel
Specification	Total Height: 2330mm
	Valve: Low output to high output, with pilot
	Nozzle: 1.95mm
	Igniter: Battery Ignitor
	Gas Inlet: 5/8 dpend
	Extra part: Handle*1& Chain*1
Certificate	ETL
Net Weight	32.9KGS
Gross Weight	35.5KGS
Packaging	One Carton Packing: 140*74*25.5cm
Loading Quantity	108/20GP
	222/20GP
	246/40HQ



PH08-SA

Model Number	PH08-SA
Material	Aluminum
Specification	Valve low output to high output, with pilot
	Nozzle: 1.5mm
	Igniter: Battery Ignitor
	Total Product size: 43x43x220cm
	Middle Board: Aluminum
	Control Box: Black Power Coated
	Base Board: Stainless Steel
	Support Pose: Aluminum
	Upper Board: Stainless Steel
	U Vision Board: Stainless Steel
Certificate	Wire Guard: Chrome Plated
	Board Cover Board: Stainless Steel*4 Pieces
	Extra Part: Handle*1&Chain*1
Net Weight	33KGS
Gross Weight	36KGS
Packaging	56*56*95cm
Loading Quantity	80/20GP
	180/40GP
	210/40HQ





outdoor heating manufacturer

PH10-S /-SS

Material	PH10-S,PH10-SS
Specification	Reflector:54cm*54cm Glass Tube: 75.4cm*20 cm Total Height: 1860 mm
Output	3.5KW
Net weight	27KGS
Gross weight	29KGS
Packaging	55cm*55cm*104cm
Loading quantity	80/20GP 184/40GP 212/40HC



With Remote Control



PH01-V2

Model Number	PH01-V2
Material	Wicker Tank
Description	No-rust,aluminum frame with powder coated steel base,all-water wicker is resistant to fading, two back wheels allow for easy positioning. ETL listed LP heater.
Reflector	D31.9"
Product Size	53.3cm (L)*53.3cm(W)*221cm(H)
BTU	47000
Certificate	ETL/CE/SAI
Net Weight	16.9KGS
Gross Weight	22.2KGS
Packaging	83cm*57cm*87cm
Loading Quantity	68/20GP 140/40GP 168/40HQ





outdoor heating manufacturer



PH01-S-V

Model Number	PH01-S-V	
Material	Wicker Tank	
Specification	Base Dia:454mm*86mm(H)	
	Tank Housing: Dia. 378mm*780mm(H)	
	Burner Unit : dia.262mm*540mm(H)	
	Flame Screen: Dia. 260mm*220mm(H)	
	Support Post: 20mm*20mm*720mm(H)	
	Control:Variable control valve	
	Reflector: Dia.813mm	
	Total Height: 2241mm(H)	
	Output:5000W~12000W	
	Fuel: Propane or Butane or LPG	
Certificate	Flux: 450g/hr.-870g/hr	
Net	CE,CSA,ETL, AGA	
Gross	19KGS	
Loading Quantity	K/D	Tank Carton/46x46x90cm
	Reflector	150sets/312sets/375sets for 20'/40GP/40HQ
	One Piece	Main Tank: 46x46x90cm/Reflector:83x83x4cm
	Reflector	135sets/278sets/320sets for 20'/40GP/40HQ



PH01-SC/-SSC

Model Number	PH01-SC,PH01-SSC	
Material	Steel / Stainless Steel	
Specification	Base Dia:454mm*86mm(H)	
	Tank Housing: Dia. 378mm*700mm(H)	
	Main Pole Dia : 50mm*910mm(H)	
	Burner Unit : dia.220mm*540mm(H)	
	Flame Screen: Dia. 220mm*170mm(H)	
	Support Post: 20mm*20mm*675mm(H)	
	Control:Variable control valve, Reflector: Dia.760mm Total Height: 2150mm(H) Output:8000W	
Certificate	CE	
Net Weight	15.5KGS	
Gross Weight	17KGS	
Loading Quantity	K/D	Tank Carton/46x46x90cm
	Reflector	150sets/312sets/375sets for 20'/40GP/40HQ
	One Piece	Main Tank: 46x46x90cm/Reflector:83x83x4cm
	Reflector	135sets/278sets/320sets for 20'/40GP/40HQ





PH01-S/-SS

Model Number	PH01-S,PH01-SS	
Material	Steel	
Specification	Base Dia:454mm*86mm(H)	
	Tank Housing: Dia. 378mm*780mm(H)	
	Main Pole Dia : 56mm*850mm(H)	
	Burner Unit : dia.262mm*540mm(H)	
	Flame Screen: Dia. 260mm*220mm(H)	
	Support Post: 20mm*20mm*720mm(H)	
	Control:Variable control valve	
	Reflector: Dia.813mm	
Certificate	Total Height: 2241mm(H)	
	Output:5000W~12000W	
	Fuel: Propane or Butane or LPG	
	Flux: 450g/hr.-870g/hr.	
Net Weight	15.5KGS	
Gross Weight	17KGS	
Loading Quantity	K/D	Tank Carton/46x46x90cm
	Reflector	150sets/312sets/375sets for 20'/40GP/40HQ
	One Piece	Main Tank: 46x46x90cm/Reflector:83x83x4cm
	Reflector	135sets/278sets/320sets for 20'/40GP/40HQ



welllife

outdoor heating manufacturer

PH07-S/-SS

Model Number	PH07-S,PH07-SS
Material	Stainless steel or steel with powder coating
Specification	Reflector:760mm
	Flame Screen:D250mmx220mm
	MainPole:D64mm x1600mm(depart 2)
	Base:438mm*65mm(H)
Certificate	Total Height: 2250mm(H)
	ETL
Net	14KGS
Gross	15.5KGS
Packaging	45x45x72cm
Loading Quantity	180/20GP
	390/40GP
	450/40HQ





outdoor heating manufacturer



PH01-S-A / SS-A



Model Number	PH01-S-A / PH01-SS-A	
Material	Steel / Stainless Steel	
Specification	Base Dia:454mm*86mm(H)	
	Tank Housing: Dia. 378mm*780mm(H)	
	Main Pole Dia : 56mm*850mm(H)	
	Burner Unit : dia.262mm*540mm(H)	
	Flame Screen: Dia. 260mm*220mm(H)	
	Support Post: 20mm*20mm*720mm(H)	
	Control:Variable control valve,	
	Reflector: Dia.813mm	
	Total Height: 2241mm(H)	
	Output:5000W~12000W	
Net Weight	16KGS	
Gross Weight	18KGS	
Certificate	CE / CSA / ETL / AGA	
Loading Quantity	K/D	Tank Carton/46x46x90cm
	Reflector	150sets/312sets/375sets for 20'/40GP/40HQ
	One Piece	Main Tank: 46x46x90cm/Reflector:83x83x4cm
	Reflector	135sets/278sets/320sets for 20'/40GP/40HQ



PH01-S-SA/-SS-SA



Model Number	PH01-S-SA / PH01-SS-SA	
Material	Steel / Stainless Steel	
Specification	Reflector: Dia.813mm	
	Control Valve: Variable control valve	
	Burner Unit: Dia.270mm*H 515mm	
	Flame Screen: Dia. 270mm*H 220mm	
	Main Pole: Dia.56mm*H 850mm	
	Support Post: 20mm*20mm*H 720mm	
	Tank Housing: Dia. 378mm*H 780mm	
	Base: Dia:454mm	
	Ignitor: Battery Ignitor	
	Total Height: 2241mm	
Certificate	CE / ETL / AGA	
Net Weight	20KGS	
Gross Weight	21KGS	
Loading Quantity	K/D	Tank Carton/46x46x90cm
	Reflector	150sets/312sets/375sets for 20'/40GP/40HQ
	One Piece	Main Tank: 46x46x90cm/Reflector:83x83x4cm
	Reflector	135sets/278sets/320sets for 20'/40GP/40HQ



outdoor heating manufacturer

Delux Heater

Model Number	PH03-S / PH03-SS
Material	Steel / Stainless Steel
Specification	Reflector: Dia.813mm
	Control Valve: Variable Control Valve
	Burner Unit: Dia.272mm*540mm
	Flame Screen: Dia. 270mm*210mm
	Main Pole: Dia. 76mm*950mm
	Support Post: 30mm*30mm*635mm
	Tank Housing: Dia. 378mm*H 690mm
	Base: Dia.454mm*80mm
	Ignitor: Piezo Electric Ignitor
	Total Height: 2241mm
Net Weight	20KGS
Gross Weight	21KGS
Certificate	CE,CSA,ETL, AGA
Packaging	K/D Reflector /One Piece One Carton / 46x46x83cm
Loading Quantity	155 / 20GP
	330 / 40GP
	400 / 40HQ

Area Heater

Model Number	PH09-S / PH09-SS
Material	Steel / Stainless Steel
Specification	Mesh Guard: Dia.370mm
	Control Valve: Variable control valve
	Burner Unit: Dia.262mm
	Flame Screen: Dia. 260mm
	Base: Dia:510mm
	Total Height: 1350mm
	Flux: 450g/hr.-940g/hr
	Fuel: Propane or Butane or LPG gas only
	Output: 5000W~13000W
Certificate	CE,AGA
Net Weight	20KGS
Gross Weight	23KGS
Packaging	50*56*76cm
Loading Quantity	136/20GP
	280/40GP
	304/40HQ





outdoor heating manufacturer



PH09-S-P / SS-P



Model Number	PH09-S-P / PH09-SS-P
Material	Steel / Stainless Steel
Specification	Mesh Guard : Dia 360 mm
	Control Valve: Variable control valve
	Burner unit: Dia 262 mm
	Flame Screen: Dia 260 mm
	Base: Dia 454 mm
Packing	Total Height: 1360 mm
	Flux: 450g/hr - 870g/hr
	Output: 5000W - 12000W
Net Weight	The FOB price includes wheels & regulator gas hose
	46*46*85cm
Gross Weight	14KGS
Certificate	17KGS
Loading Quantity	CE, IAPMO
	150/20GP
	312/40GP
	375/40HQ



PH05 Table top

Model Number	PH05-SA / PH05-SSA
Material	Steel / Stainless Steel
Specification	Reflector: Dia.250mmx250mm square in ALU
	Total Height:900mm(H)
	Base: 280*280mm as a square
	Flame Screen: 115mm dimension as a circle
	Power: 3000W/11000BTU
Certificate	Fuel: 1Pound gas cylinder
	CE, ETL
Net weight	7.3KGS
Gross weight	8.5KGS
Packaging	33*33*98cm
Loading quantity	238/20GP
	504/40GP
	672/40HQ





welllife

outdoor heating manufacturer

Table Top Heater

Model Number	PH01-S-PC / PH01-SS-PC
Material	Steel / Stainless Steel
Specification	Base: Dia. 340mm x 50mm (H)
	Pole: Dia. 50mm x 580 (H)
	Burner unit: Dia. 180mm x 280mm (H) in SS
	Flame Screen: Dia. 156mm x 180mm (H) in SS
	Reflector: Dia. 535mm x 100mm (H) in ALU
	Total height: 925mm (H)
	Power: 3000W
	Fuel: Propane or Butane gas only
Certificate	CSA
Net Weight	7.3KGS
Gross Weight	9.3KGS
Packaging	57*57*28.5cm
Loading Quantity	320/20GP
	670/40GP
	655/40HQ



Table Top Heater

Model Number	PH01-S-PA / PH01-SS-PA
Material	Steel / Stainless steel
Specification	Base: Dia. 340mm x 50mm (H)
	Pole: Dia. 50mm x 580 (H)
	Burner Unit: Dia. 180mm x 280mm (H) in SS
	Flame Screen: Dia. 156mm x 180mm (H) in SS
	Reflector: Dia. 535mm x 100mm (H) in ALU
	Total height: 880mm (H)
	Power: 3000W
	Fuel: 1 Pound gas cylinder
Certificate	CE, SAI
Net Weight	7KGS
Gross Weight	9KGS
Packaging	78*22*57.5cm
Loading Quantity	290/20GP
	600/40GP
	660/40HQ





outdoor heating manufacturer

Fire Pit



Model Number	WELLFP-S-S, WELLFP-S-TT
Material	Steel
Specification	Burner: D48.5cm*48.5cm
	Ring: 25.2cm(D)
	Table: 96.5cm*96.5cm(Square)*5cm(Depth)
	LEG: 8cm*8cm(Square)*61.5cm(H)
	Panel: 64.5cm*54cm
Certificate	Total Product Size: S96.5cm*62.5cm(H)
	BTU: 42000
	CE, ETL
Net Weight	41KGS
Gross Weight	47KGS
Packaging	94cm(L)*76.5cm(W)*31cm(H)
Loading Quantity	120/20GP
	246/40GP
	282/40HQ



Fire Pit

Model Number	WELLFP-S-SD
Material	Steel / Stone
Specification	Burner: D48cm*48cm
	Ring: 25.2cm(D)
	Table: 102cm(L)*102cm(W)*3cm(H)
	Leg: S6cm*54.5cm(H)
	Total Height: 57cm(H)
Certificate	Width: 86cm(board width+two legs)
	Board: 52.8cm(H)*73.8cm(W)
	Total Product Size: 102cm(L)*102cm(W)*57.5cm(H)
Net Weight	60KGS
Gross Weight	65KGS
Packaging	Carton 1 (Table): 94cm(L)*79cm(W)*31cm(H)
Loading Quantity	Carton 2 (Body): 108cm(L)*108cm(W)*8cm(H)
	84/20GP
	190/40GP
	218/40HQ



Model Number	WELLFP-S-C
Material	Steel/MGO
Specification	Burner:D48.5cm*48.5cm
	Ring:25.2cm(D)
	Table:102cm*102cm(S)*3cm(D)
	LEG:8cm*8cm(Square)*60cm(H)
	Width:86CM(board width+two legs)
	Board:74cm(W)*56cm(H)
	Total Product Size:102cm(L)*102cm(W)*63cm(H)
	BTU:42000
Certificate	CE,ETL
Net Weight	61.5KGS
Gross Weight	68KGS
Packaging	Carton 1 (Table):80cm(L)*71cm(W)*31cm(H)
	Carton 2 (Body):108cm(L)*108cm(W)*8cm(H)
Loading Quantity	100/20GP
	225/40GP
	256/40HQ



Fire Pit

Model Number	WELLFP-H-C
Material	Steel / MGO
Specification	Burner:D55.5cm
	Ring:24.8cm(D)
	Table:138cm(L)*120cm(W)*3cm(D)
	LEG:4cm*4cm(Square)*60cm(H)
	Total Product Height:63cm(H)
	Board:48cm(W)*56cm(H)
	Total Size:138cm(L)*120cm(W)*63cm(H)
	BTU:42000
Certificate	CE,ETL
Net Weight	64KGS
Gross Weight	70KGS
Packaging	Carton 1 (Table):107cm(L)*63cm(W)*31cm(H)
	Carton 2 (Body):143cm(L)*127cm(W)*8cm(H)
Loading Quantity	76/20GP
	160/40GP
	194/40HQ

Fire Pit





outdoor heating manufacturer

Fire Pit

Model Number	WELLFP-S-C/1 WELLFP-S-C/2 WELLFP-S-C/3
Material	Steel+MGO Top
Specification	Burner:D48.5cm*48.5cm
	Ring:25.2cm(D)
	Table:102cm*102cm(S)*3cm(D)
	Leg:8cm*8cm(Square)*60cm(H)
	Width:86CM(board width+two legs)
	Board:74cm(W)*56cm(H)
Certificate	CE,ETL
	Net Weight 61.5KGS
Gross Weight	68KGS
	Packaging Carton1: 80cm(L)*71cm(W)*31cm(H)
Loading Quantity	Carton2: 108cm(L)*108cm(W)*8cm(H)
	100pcs/20GP
	225pcs/40GP
	256pcs/40'HQ



Fire Pit

Model Number	WELLFP-S-C/4
	MGO
	BTU:4,2000
Specification	Adjustable flame output
	Stainless steel burner with lava lock
	Cover included
	product Size:88x88x44.5cm
Certificate	CE,ETL
Net Weight	32KGS
Gross Weight	34KGS
Packaging	96X96X51.5 CM
Loading Quantity	48pcs/20GP
	96pcs/40GP
	120pcs/40HQ





outdoor heating manufacturer



Fire Pit

Model Number	WELLFP-S-C/8 WELLFP-S-C/9
Material	MGO with stainless steel burner
Specification	External Propane Tank Gas Firepit Product Size: 60*60*20cm BTU: 42000
Certificate	CE, ETL
Net Weight	7KGS
Gross Weight	8KGS
Packaging	62X62X42 cm
Loading Quantity	198pcs/20GP 324pcs/40GP 369pcs/40HQ



Fire Pit

Model Number	WELLFP-RT
Material	MGO with stainless steel burner
Specification	42,000 BTU output Stainless steel burner Beautiful full flame Clear fire glass included Uses standard 20lb LPG BBQ tank Consumption rate approx. 10 hrs
Certificate	CE, ETL
Net Weight	36KGS
Gross Weight	39KGS
Packaging	127X61X28 cm
Loading Quantity	280pcs/40'HQ





outdoor heating manufacturer



Fire Pit



Model Number	WELLFP-S-C/11
Material	MGO with stainless steel burner
Specification	20lb External Propane Tank Gas Firepit Product Size: 1065x1065x510mm CBM: 0.74 Material: Steel:MGO=35:65 BTU: 42000BTU
Certificate	CE,ETL
Net Weight	41.5KGS
Gross Weight	44KGS
Packaging	1115x1115x560mm
Loading Quantity	100pcs/40HQ



Fire Pit

Model Number	WELLFP-S-C/10
Material	MGO with stainless steel burner
Specification	20lb External Propane Tank Gas Firepit Product Size: 1065X1065X450mm Material: Steel:MGO=38:62 BTU: 42000 CBM: 0.66
Certificate	CE,ETL
Net Weight	40KGS
Gross Weight	42KGS
Packaging	1115x1115x500mm
Loading Quantity	100pcs/40HQ



Fire Pit



Model Number	WELLFP-S-CA
Material	Cast aluminum
Specification	Product size: 114*114*57.5CM 42000BTU full aluminum body
Certificate	CE,ETL
Net Weight	28.5KGS
Gross Weight	31.5KGS
Packaging	120X120X24cm
Loading Quantity	175pcs/40HQ



Gas BBQ

Model Number	WELLBBQ005
Material	steel & stainless steel
Specification	Gas BBQ Product Size:152*58.8*90 cast steel cooking panel 1: 36*42 cast steel cooking panel 2: 36*42 cooking area: 72.5*42
Certificate	
Net Weight	20.5KGS
Gross Weight	22KGS
Packaging	85x54x22 cm
Loading Quantity	180pcs/20GP 378pcs/40GP 504pcs/40HQ



Gas BBQ

Model Number	WELLBBQ004
Material	steel & stainless steel
	Gas BBQ
Specification	Product Size: 71*58.8*75 cooking area: 49.5*50
Certificate	
Net Weight	6.5KGS
Gross Weight	7.5KGS
Packaging	59*59*18.5 cm
Loading Quantity	297pcs/20GP 660pcs/40GP 840pcs/40HQ



Gas BBQ

Model Number	WELLBBQ002
Material	steel
	Propane Gas BBQ
Specification	Product Size: 164X56X84cm (open) cooking area: 39cm*80cm Top cover: 41.5cm*44cm, two pieces
Certificate	CE, AGA
Net Weight	16KGS
Gross Weight	18KGS
Packaging	92x56x21cm
Loading Quantity	248pcs/20gp 536pcs/40GP 604pcs/40HQ



Gas BBQ

Model Number	WELLBBQ001
Material	steel & stainless steel
Specification	Gas BBQ
	Product Size: 143X56X106cm
	inner mesh shield: 73*16cm
	cast steel cooking panel 1: 45*38
	cast steel cooking panel 2: 43*38cm
	cooking area: 45*76
Certificate	CE, AGA
Net Weight	36KGS
Gross Weight	39KGS
Packaging	90x60x44cm
Loading Quantity	108pcs/20gp
	224pcs/40GP
	288pcs/40HQ



Gas BBQ

Model Number	WELLBBQ003
Material	stainless steel
Specification	Gas BBQ
	Product Size: 46*28.5CM
Certificate	ETL
Net Weight	7.6KGS
Gross Weight	9.6KGS
Packaging	56x39x39 cm
Loading Quantity	340pcs/20GP
	700pcs/40GP
	880pcs/40HQ





Room Heater

Model number	LI188-A / LI168-A / LI138-A / UK-18
Material	0.7 Steel
Product size	420*370*745cm
Packaging	46*41*76cm
Net weight	9KGS
Gross weight	10.5KGS
Certificate	CE
Loading quantity	220/20'
	539/40HQ

LI168-A



LI168-A



LI168-A